

Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers

Article No. (manufacturer/supplier): ZZ14000AAF10
Identification of the substance or mixture Classic NeutralCleaner
Stat.Warennummer: 3405.20.000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

paint and/or paint related material

Uses advised against

Do not use for sputtering or spraying.

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

Berger-Seidle GmbH
Parkettlacke - Klebstoffe - Bauchemie Telephone: +49 6359 / 8005-0
Maybachstraße 2 Telefax: +49 6359 / 8005-50
67269 Grünstadt

Dept. responsible for information:

labor

E-mail

sicherheitsdaten@berger-lacke.de

1.4. Emergency telephone number

Emergency telephone number +49 6359 / 8005-70
Only available during office hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Skin Irrit. 2 / H315 skin corrosion/irritation Causes skin irritation.

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is classified as not hazardous according to 1999/45/EC.

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Warning

Hazard statements

H315 Causes skin irritation.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

contains:

n.a.

Supplemental Hazard information (EU)

EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Labelling (67/548/EEC or 1999/45/EC)

Hazard statements

n.a.

Precautionary statements

n.a.

contains:

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No 453/2010



Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 2 / 8

n.a.

Special provisions concerning the labelling of certain mixtures

99 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

2.3. **Other hazards**

SECTION 3: Composition / information on ingredients

3.2. **Mixtures**

Product description / chemical characterization

Description Emulsionen

Hazardous ingredients

Classification according to Regulation (EC) No. 1272/2008 [CLP]

EC No. CAS No. INDEX No.	REACH No. Chemical name classification:	Wt % Remark
999-999-99 111905-54-5	02-2119548508-30-0000 fatty alcohol alkoxyolate Skin Irrit. 2 H315	10 - 12,5
200-578-6 64-17-5	01-2119457610-43 ethanol	2,5 - 5
603-002-00-5 227-813-5	Flam. Liq. 2 H225 / Eye Irrit. 2 H319	
5989-27-5 601-029-00-7	(R)-p-mentha-1,8-diene Flam. Liq. 3 H226 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Asp. Tox. 1 H304 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410	< 0,5

Classification according to Directive 67/548/EEC or 1999/45/EC

EC No. CAS No. INDEX No.	REACH No. Chemical name classification:	Wt % Remark
999-999-99 111905-54-5	02-2119548508-30-0000 ALIPHAT. ALKOHOLE C12-C18, ETHOXYLIERT Xi; R38	10 - 12,5

Additional information

Full text of R-phrases: see section 16.

Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1. **Description of first aid measures**

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. **Most important symptoms and effects, both acute and delayed**

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed**

Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 3 / 8

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight.

Due to the content of organic solvents in the preparation:

Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 4 / 8

- 7.3. **Specific end use(s)**
Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

ethanol

INDEX No. 603-002-00-5 / EC No. 200-578-6 / CAS No. 64-17-5

TWA: 1920 mg/m³; 1000 ppm

Additional information

TWA : long-term occupational exposure limit value

STEL : short-term occupational exposure limit value

Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used:

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state liquid

Colour

Odour

Safety relevant basis data	Unit	Method	Remark
Flash point (°C)	105 °C		
Ignition temperature in °C:	425 °C		
Lower explosion limit	1,8 Vol-%		
Upper explosion limit	15,0 Vol-%		
Vapour pressure at 20 °C:	101,00 mbar		
Density at 20 °C:	0,99 g/cm ³		
Water solubility (g/L)			
pH at 20 °C:	-		
Viscosity at 20 °C	12 s 4 mm	DIN 53211	
Solvent separation test (%)	< 3 %		
Solid content (%):	12,03 Wt %		
solvent content:			

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No 453/2010



Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 5 / 8

Organic solvents:: 5 Wt %
Water: 83 Wt %

9.2. **Other information:**

SECTION 10: Stability and reactivity

10.1. **Reactivity**

keine, bei sachgemäßer Verwendung

10.2. **Chemical stability**

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. **Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. **Conditions to avoid**

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. **Incompatible materials**

10.6. **Hazardous decomposition products**

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides. keine, bei sachgemäßer Verwendung

SECTION 11: Toxicological information

No data on preparation itself available.

11.1. **Information on toxicological effects**

Acute toxicity

fatty alcohol alkoxylate

oral, LD50, Rat: > 2000 mg/kg

calculated.; By analogy.; The statement is derived from products of similar structure or composition.

ethanol

oral, LD50, Rat: 5000 mg/kg

Method: OECD 401

dermal, LD50, Rabbit: > 10000 mg/kg

Method: OECD 402

inhalative (vapours), LC50, Rat: (4 h)

Method: OECD 401

Irritant and corrosive effects

fatty alcohol alkoxylate

Skin, Rabbit

Irritant; By analogy.; The statement is derived from products of similar structure or composition.

Eyes, Rabbit: evaluation Not an irritant.

Method: Draize-Test

By analogy.; The statement is derived from products of similar structure or composition.

ethanol

Eyes

Sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

(R)-p-mentha-1,8-diene

Aspiration hazard

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No 453/2010



Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 6 / 8

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to 67/548/EEC.

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

overall evaluation

There is no information available on the preparation itself.
Do not allow to enter into surface water or drains.

12.1. Toxicity

fatty alcohol alkoxylate

Fish toxicity, LC50, *Leuciscus idus* (golden orfe): 1 - 10 mg/L (96 h)

By analogy.; The statement is derived from products of similar structure or composition.

Bacteria toxicity, activated sludge: > 1000 mg/L

ethanol

Fish toxicity, LC50, *Alburnus alburnus* (alburnum): 1100 mg/L (96 h)

Daphnia toxicity, EC50, *Daphnia magna* (Big water flea): 9268 - 14221 mg/L (48 h)

Fish toxicity, *Leuciscus idus* (golden orfe): 8150 (48 h)

Algae toxicity, *Scenedesmus quadricauda*: 5000 (168 h)

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

fatty alcohol alkoxylate

: > 89,9999 %

bismuth-active material

: > 60 % (28 D); evaluation Readily biodegradable (according to OECD criteria).

Method: OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C

CO₂ formation (% of the theoretical value).

12.3. Bioaccumulative potential

fatty alcohol alkoxylate

Distribution coefficient (n-octanol / water) (log P O/W):

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No 453/2010



Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015 EN
Version 1 Issue date 25.04.2015 Page 7 / 8

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. **UN number**

n.a.

14.2. **UN proper shipping name**

14.3. **Transport hazard class(es)**

n.a.

14.4. **Packing group**

n.a.

14.5. **Environmental hazards**

Land transport (ADR/RID)

n.a.

Marine pollutant

n.a.

14.6. **Special precautions for user**

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No.

n.a.

14.7. **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

SECTION 15: Regulatory information

15.1. **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

VOC-value (in g/L) ISO 11890-2:

52

VOC-value (in g/L) ASTM D 2369:

286

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations, restrictions and prohibition regulations

MAL-Kode (MAL Kode ready to use): n.v.

Giscode n.a.

PR-No.

15.2. **Chemical Safety Assessment**

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

Relevant R-and H-phrases (Number and full text):

Skin Irrit. 2 / H315

skin corrosion/irritation

Causes skin irritation.

Flam. Liq. 2 / H225

flammable liquids

Highly flammable liquid and vapour.

Eye Irrit. 2 / H319

Serious eye damage/eye irritation

Causes serious eye irritation.

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) No 453/2010



Article No.: ZZ14000AAF10 Classic NeutralCleaner
Print date 27.04.2015 Revision date 25.04.2015
Version 1 Issue date 25.04.2015

EN
Page 8 / 8

Flam. Liq. 3 / H226	flammable liquids	Flammable liquid and vapour.
Skin Sens. 1 / H317	respiratory or skin sensitisation	May cause an allergic skin reaction.
Asp. Tox. 1 / H304	Aspiration hazard	May be fatal if swallowed and enters airways.
Aquatic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic life.
Aquatic Chronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.
Xi; R38	Irritant	Irritating to skin.

Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

n.a. = not applicable

n.b. = not determined

Annex

At present, data / information on exposure scenarios are not available, so that an evaluation of the preparation cannot yet be made.